


TAU

POLYFUNCTIONAL ALUMINUM SHELVING SYSTEM

CATALOG 2012


AFFURNITURE
- MODERN SOLUTIONS FOR YOUR HOME -

INFO

*A TAU, designed to add real value to the wall and become a natural filter between the wall and the canvas.
It consisted of a suspended aluminium frame that would adapt easily to the space and the requirements of the people who use it, thanks to arrangements created with panels and functional modules that add shape and value to the space itself.*

TAU is a patented system of hanging structures in aluminium.

*It can be used to equip the walls of rooms which have different functions and purposes; the components can be customized in height and length to satisfy the different esthetic and functional requirements, and creating ambiances that are either minimalist or impact statements, absorbing and personal.
TAU can be used with or without panels.*

The system complete with panels has a series of vertical uprights with variable inter-axial supports and two horizontal frames that surround a portion of the wall..

The panels used to enclose this structure are available in a range of thicknesses (from 6 to 20 mm) and in a selection of materials.

Cold light sources can be fitted inside to create suggestive retro illumination through the translucent glass.

The system without panels is created using the vertical uprights alone (with variable inter-axial supports depending on the specific requirements). In this way, storage containers and shelving in aluminium, wood or glass can be fitted to the wall.

The support for shelves, containers and coat stands is fixed to the vertical upright supports and, thanks to a patented system, these allow the shelves to be inclined at any time in a simple and rapid manner, without no need for any adjustment screws.

TAU can be fitted with aluminium shelving that can be adjusted in terms of depth and length.

The shelves can be equipped with cold light fittings and fixed to vertical uprights or directly to the walls.

TAU

INDEX

TAU

AT HOME



- < 09 > ENTRANCE
- < 11 > BOOKSHELF
- < 13 > SHELVES
- < 15 > LIVING ROOM
- < 17 > KITCHEN
- < 19 > CHILDREN BEDROOM
- < 21 > WALK IN CLOSET
- < 23 > BATHROOM

AT WORK



- < 27 > BOUTIQUE
- < 29 > PERFUM SHOP
- < 31 > OFFICE SPACE
- < 33 > TRAVEL AGENCY

- < 35 > ABACO

TAU



> ENTRANCE



> BOOKSHELF



> SHELVES



> LIVING ROOM



> KITCHEN



> CHILDREN BEDROOM



> WALK IN CLOSET



> BATHROOM

INDEX AT HOME

AT HOME

< 09 >	ENTRANCE
< 11 >	BOOKSHELF
< 13 >	SHELVES
< 15 >	LIVING ROOM
< 17 >	KITCHEN
< 19 >	CHILDREN BEDROOM
< 21 >	WALK IN CLOSET
< 23 >	BATHROOM

Some examples of how TAU can be applied in the home environment.

TAU structure designs the entrance, creating atmospheres that change on the basis of the texture and the components selected to complete the arrangement. The shelves, the containers and the panels that are applied to the frames will satisfy the diverse size requirements and functional necessities of your clients.

The thickness of the wall-panels varies between 6 mm and 20 mm. Panels of thickness 6 mm (glass and mirror) are supplied with a special trim.

ENTRANCE



COD | AT101.....035
AT103.....035
AT107.....035
AT4006.0278.034
AT4007.0015.034
AT4016.0080.000
AT7072

TAU structure creates the bookshelf thanks to its modularity; the bookcase is simple, linear, light and free from panels, and can adapt to your interpretations while satisfying the demands of your clients.

The shelves in aluminium (with or without illumination) are available in different widths and depths. It is also possible to apply shelving in glass (thickness between 8 mm – 10 mm) using special accessories.

BOOKSHELF



COD | AT100.....035
ATM106A2.....035
AT4028.0025.034
AT4031.0000.000
AT4032.0000.000

TAU structure enhances the walls thanks to shelving that can be hidden from view, or be visible through soft and suggestive light and shade effects that exalt the space and the articles and flood the surrounding space with comfort and harmony.

The shelves are available in a range of depths and widths.

The luminous version must be primed for itting with light sources and the installation must only be performed by a qualified technician



COD ATM108A2.....035

SHELVES



COD ATM105A2.....035

TAU structure furnishes the lounge, and decorates the space by creating ambiances that rapidly respond to the multiple style and functional requirements of your clients.

The shelf and storage-container supports can be positioned according to the specific design requirements.

The space behind the panels can be exploited to hide cables and the technical connections.

LIVING ROOM



COD	AT101.....035
	AT102.....035
	AT103.....035
	AT107.....035
	AT4006.0278.034
	AT4016.0080.000

TAU structure dresses the kitchen, designing a living space that consents an alternation of open and closed units, textures and colors, operative zones and functional areas that are scenic and suggestive.

The determine the with or without panels adapt smoothly to the dimensions of the walls, thanks to a frame that can be fitted with storage containers, worktops, classical or luminous shelving

KITCHEN




COD AT100.....035
ATM106A2.....035
AT4006.0278.034

Structure of TAU designs even the smallest bedrooms, becoming an excellent support for your furnishing elements (panels, shelves and storage containers), to decorate the space with joy and care free optimism.

All furnishing project gives itself to esthetics that are always new and innovative, thanks to the application of panels in different materials and thicknesses which can be selected and modulated in an original and innovative manner (blackboards, mirrors, textures etc).

CHILDREN BEDROOM




COD AT101.....035
AT102.....035
AT103.....035
AT107.....035
AT4006.0278.034
AT4016.0080.000

The structure of TAU presents the walk in closet as an evolutionary step with respect to the traditional systems with a back support panel.

The suspended elements play on the horizontal continuity, guaranteeing excellent management, cleanliness of the space and high performance.

*Only you decide the style and the dimensions.
The shelf bracket supports the coat stand rod and the shelving and allows them to be fixed and sloped at any time and at any height.*

WALK IN CLOSET




COD | AT101.....035
AT102.....035
AT103.....035
AT107.....035
AT4006.0278.034
AT4007.0015.034
AT4016.0080.000
AT7072

Structure of TAU interprets the bathroom through modularity that will allow you to arrange and furnish the ambience through your choice of panels, storage containers and shelving that create the right atmosphere for the client.

The space behind the panel can be exploited to hide cables and the technical connections that would otherwise be installed in the wall.

BATHROOM



COD | AT101.....035
AT103.....035
AT107.....035
AT4006.0278.034
AT4028.0025.034
AT4016.0080.000

> BOUTIQUE



> PERFUM SHOP



> OFFICE SPACE



> TRAVEL AGENCY



Some examples of how the TAU structure can be applied inside commercial stores.

AT WORK

- < 27 > BOUTIQUE
- < 29 > PERFUM SHOP
- < 31 > OFFICE SPACE
- < 33 > TRAVEL AGENCY

TAU INDEX AT WORK

TAU

TAU structure furnishes boutique with elements that over time can be adapted to the changing display requirements.

The panels in itranslucent glass create suggestive atmospheres; your furnishing elements, on the other hand, design the style and the performance of the ambience.

The shelf bracket allows the position and the inclination of the shelving to be changed (screws is no visible), creating arrangements that are flexible over time.

BOUTIQUE



COD	AT101.....035
	AT102.....035
	AT104.....035
	AT4006.0278.034
	AT4007.0015.034
	AT4017.0080.000
	AT7072

TAU structure creates scenographic display arrangements that enhance the layout, thanks to aluminium shelving that are hidden from view and which exalt the products.

All of this with a minimal design at the service of commercial and sales premises.

The aluminium shelves can be fixed directly to the wall; the luminous versions create highly-emotional display situations.

PERFUM SHOP



TAU

TAU structure interprets the office environment as a place that houses different functional zones (reception, waiting-room, operational back office etc.) and proposes a flexible and variable structure to satisfy the requirements of your clients.

The glass shelves can be alternately or replaced by those in other materials depending on the display requirements and the image requisites.

OFFICE SPACE



COD | AT100.....035
AT4028.0025.034
AT4031.0000.000
AT4032.0000.000

TAU structure lives inside the travel agency thanks to the sloping shelves that efficaciously enhance the material on display.

The system adapts to the size characteristics of the space, consenting design creativity that is completely free from any restrictions or limitations.

Sloping shelves position , thanks to the shelf bracket, can be varied and inclined at any time.

TRAVEL AGENCY




COD | AT100.....035
AT7161.A3.....035
AT4028.0025.034
AT4031.0000.000
AT4032.0000.000

The thickness of the panels ranges from 6 mm - 20 mm. A special trim is available for the 6 mm. panels.


AT4000 3000 035

Universal aluminium upright
for application WITHOUT PANELS
22x38x3000 mm (length of the rod)




AT4001 3000 035

Side aluminium upright
(right/left application)
for use WITH PANELS
30x38x3000 mm (length of the rod)



AT4002 3000 035


Central aluminium upright
for use WITH PANELS
mm. 20x38x3000 (length of the rod)



ABACO


AT4003 3000 000

Aluminium rod for wall attachment
for use WITH PANELS
43x9x3000 mm (length of the rod)




AT4004 3000 035

Low esthetic aluminium rod
for use WITH PANELS
30x25x3000 mm (length of the rod)



AT4005 3000 035


High esthetic aluminium rod
for retroilluminated glass panes
for use WITH PANELS
30x75x3000 mm (length of the rod)



The thickness of the panels ranges from 6 mm - 20 mm. A special trim is available for the 6 mm. panels.


AT4006 0278 034

Single shelf holder for
wood/glass 278 mm (backset 232 mm)



AT4007 0015 034

Single pipe channel
complete with coupling



AT7072 3000 035

Oval aluminium profile
15x30x3000 mm (rod length)



ABACO


AT4013 0040 000

Pair of spacers for
wall-fixing for use
WITHOUT PANELS



AT4014 0035 000

Spacer for wall-fixing
for use WITH PANELS



AT4015 3000 000


Trim for 6 mm panels
for use WITH PANELS
8X12X3000 mm (length of rod)



The thickness of the panels ranges from 6 mm - 20 mm. A special trim is available for the 6 mm. panels.


AT4016 0080 000

Low support for panels
for use WITH PANELS 80 mm




AT4017 0080 000

High support with lamp
socket for use with
retroilluminated glass 80 mm



AT4018 0056 000


Upright fixing terminal plate



ABACO


AT4019 0300 034

Pair of side trims
for 300 mm shelves




AT4019 0450 034

Pair of side trims
for 450 mm shelves



AT4020 0028 000


Hook for aluminium shelving
with attachment for
the upright 28 mm



The thickness of the panels ranges from 6 mm-20 mm. A special trim is available for the 6 mm. panels.


AT4021 0038 034

Single plug for the upright
WITHOUT PANELS




AT4022 0038 034

Single plug for the central
upright WITH PANELS



AT4023 0038 034


Pair of plugs (upper/lower)
for the side upright
WITH PANELS



ABACO


AT4024 3000 035

Initial shelf profile with lamp
socket 150x41x3000 mm
(length of the rod)




AT4025 3000 035

Central aluminium profile
150x41,6x3000 mm
(length of the rod)



AT4026 3000 035


Terminal aluminium shelf profile
150x18,5x3000 mm
(length of the rod)



The thickness of the panels ranges from 6 mm - 20 mm. A special trim is available for the 6 mm. panels.


AT4027 3000 000

Wall fixing bar for shelves
3000 mm (length of the rod)




AT4028 0025 034

Glass panel support for
shelving thickness 8/10 mm.



AT4029 3000 000

PVC profile for shelving (light cover)
3000 mm (length of the rod)



ABACO

AT4030 0000 034




Side plug for pipe AT7072

AT4031 0000 000




Right/left coupling
for drawer unit



AT4032 0000 000



Intermediate coupling
for drawer unit



Section with panel

Section with retroilluminated panel

H= height of the arrangement
hp = height of the trim
h = height of the panel



H = height of the arrangement
hp = height of the trim
hv = height of the retroilluminated glass pane




I = backset between the plates

Lv = width of the glass panels



Section without panel, with vertical upright alone




VERTICAL AND HORIZONTAL SECTIONS
Definition of the heights, widths and degrees of tolerance
in the cut of the panels in relation to the height and the width
of the desired arrangement

$hp = H - 52 \text{ mm}$
 $h = H - 43 \text{ mm}$ (tolerance $\pm 1 \text{ mm}$), $h = hp + 9 \text{ mm}$ (tolerance $\pm 1 \text{ mm}$)
 $hv = H - 134 \text{ mm}$ (tolerance $\pm 1 \text{ mm}$), $hv = hp - 82 \text{ mm}$ (tolerance $\pm 1 \text{ mm}$)
 $L = l - 27 \text{ mm}$ (tolerance $+ 1 \text{ mm} / - 2 \text{ mm}$)
 $Lv = l - 31 \text{ mm}$ (tolerance $+ 1 \text{ mm} / - 2 \text{ mm}$)
 D =total width of the arrangement
 d =length of the wall plate Art. AT4003
 $d=D - 10 \text{ mm}$

I = backset between the plates

L = width of the panel





8654 P.O. BOX Tarrytown, NY 10591-9998
Ph. 1-914-909-4571 Fax. 1-914-909-4572
INFO@ALLFORFURNITURE.COM
WWW.ALLFORFURNITURE.COM

TAU